


TECHNICAL SPECIFICATION

Competition aluminium starting block with high foot supports

PBS15-02-W



File: 2016-06-15

PRODUCT SUPPORT
Pawel Ciechanowski
p.ciechanowski@polanik.com

e-mail: info@polanik.com www.polanik.com

tel. +48 44 646 44 81 e-mail: inf tel. +48 44 648 50 89 fax +48 44 646 43 58



I. General description and use

PBS15-02-W is a competition aluminium starting block with high foot supports. It is light and very durable. Its foot supports have got special ergonomic shape and are covered with high quality synthetic track. The product offers a wide adjustment range of foot supports and their reciprocal positions. PBS15-02-W can be easily equipped with electronic react time systems.





PBS15-02-W © 2016 Polanik


The producer reserves the right to introduce without warning changes in product constructions and colours.


tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58




II. Technical specification

Code	PBS15-02-W		
Туре	competition, certified, aluminium		
Use on	synthetic track only		
Block rail	aluminium profile, with handle, equipped with inclined spikes for better anchoring in track		
Casing of foot support	aluminium profiles, two fastening bolts		
Foot support	aluminium profile, high, of ergonomic shape, with synthetic track		
Adjusting lever of support inclinations	aluminium profile, spring loaded		
Positions of foot support	5		
Positions of foot support casing	15		
Net weight [kg]	5,4		










tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58





tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



III. Operation and maintenance

After each use make sure to check if the spikes are correctly screwed in the block rail. If they work loose in the rail, they should be tightened, otherwise they will gradually damage the threads in the aluminium rail. The starting blocks must be stored in a roofed and dry place.

IV. Packing and transport

The starting block is packed in a carton box:

Box's dimensions [m]	contents	1 pc	2 pcs
	length L	0,92	0,92
	width B	0,34	0,34
	height H	0,18	0,18
Volume [m³]		0,056	0,056
Gross weight [kg]		6,16	11,56



V. IAAF Certificates



Product Certificate

The IAAF is pleased to certify hereby that the following product:

Product's Trade Name:

Starting blocks, Competition

Description, Colour / Absolute Thickness:

Aluminium, high foot supports, Aluminium

Company Name, Country:

Polanik Sp. z o. o. - Sp. K., POL

Catalogue Number:

PBS15-02-W

IAAF Certification Number:

E-16-0868

meets the dimensional requirements for use in all international athletics competitions.

It is for the purchaser to determine the item's fitness for the purpose based on his knowledge of the local conditions and use.

Valid from:

1 February 2016

Until the last day of:

February 2020

This certificate is issued in accordance with the terms and conditions of the IAAF Certification System of track and field facilities, implements and competition equipment.

SEBASTIAN COE

IAAF President

JORGE SALCEDO

IAAF Technical Committee Chairman



POLANIK Poland, Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com

