

TECHNICAL SPECIFICATION / INSTRUCTION MANUAL

Universal distance indicator LU-S283-A



File: 2016-08-16
TECHNICAL SUPPORT
Paweł Ciechanowski
p.ciechanowski@polanik.com




I. General description and use

LU-S283-A is designed to illustrate the distance of the athlete's jump in long jump and triple jump.


II. Technical specification

Code	LU-S283-A	
Туре	Universal	
Scale	long jump 4,5 m $-$ 8,5 m runway from the left hand side triple jump 13,5 m $-$ 17,5 m runway from the left hand side	
Segments	2, screwed together with screws	
Material	main construction made of aluminium,	
Segment dimensions [mm]	H 350 /B 390/L 2000	
Net weight [kg]	18,5	



fax +48 44 646 43 58





III. Assembly

The segments are screwed together with the included screws using hex key 5.

IV. Operation and maintenance

The indicator must be stored in a roofed and dry place.

V. Packing and transport

The segments are packed in foil, one on the other. The dimensions of the packed product are: H 450/ B 400/ L 2000 [mm]. The gross weight is approx. 20 kg.



POLANIK ul. Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



VI. Declaration

1) No. 2016-08-16

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

Name	Code
Universal distance indicator	LU-S283-A

4) Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf for:

POLANIK Spółka z Ograniczoną Odpowiedzialnością

2016-08-16 Piotrków Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)(Name, function)

(Signature or equivalent authorized by the issuer)

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.