

TECHNICAL SPECIFICATION

Soft pad for cage pillar shield OM-1




I. General description and use

The pad is a high quality product. It is designed to be installed on the cage pillar shields OS290 and OS296. Its main task is to protect a cage net against cutting when an incorrectly thrown hammer (or discus) presses the net to the steel shield during the impact. That radically prolongs the life of the net and also the steel shields.

II. Technical specification

Code	OM-1
Type	soft pad
Covering	special PVC made of polyester with 2 vinyl layers
Insert	foam PE
Way of fastening	3 Velcro® belts
Length D [mm]	1000
Height H [mm]	258
Width S [mm]	347
Thickness G [mm]	50
Net weight [kg]	1,9
Volume [m³]	0,05



III. Operation and maintenance

To achieve an optimal cage protection 4 pads ought to be installed on each gate pillar and 4 pads on each extreme pillar. Lifting the cage gate which is equipped with the shields and the soft pads has to be done with Polanik cage gate lift CGL-3.

IV. Packing and transport

The pads are packed in foil and sent on pallets.

V. Product images



OM-1 © 2016 Polanik

The producer reserves the right to introduce without warning changes in product constructions and colours.

VI. Declaration

- 1) No. 2016-08-26
- 2) Issuer's name: POLANIK
Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.
- 3) Objects of declaration

No.	Name	Code
1	Soft pad for cage pillar shield	OM-1

- 4) Technical specification described above is in accordance with the factory's internal engineering standards.

Additional Information

- 5) Declaration for:
Buyer/Distributor/User

Signed for and in behalf for:

POLANIK Spółka z Ograniczoną Odpowiedzialnością

2016-08-26 Piotrków Tryb.

(Date and place of issue)

Paweł Ciechanowski

Product Manager

6)

(Name, function)


.....
(Signature or equivalent authorized by the issuer)