

POLANIK Poland, Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



TECHNICAL SPECIFICATION / INSTRUCTION MANUAL

Foam distance indicators LD-S283-T25 LT- S283-T25 LU-S283-T25-A LU-S283-T25-B





File: 2016-08-25 **PRODUCT SUPPORT** Pawel Ciechanowski <u>p.ciechanowski@polanik.com</u> e-mail: info@polanik.com www.polanik.com



I. General description and use

Foam distance indicators are designed to illustrate the distance of the athlete's jump in long jump and triple jump.

II. Technical specification

Code	LD-S283-T25	
Туре	for long jump	
Scale	4,5 m – 8,5 m	
Segments	2, linked with Velcro belts installed in segment sides, scale painted on both sides of segment	
Material	white PCV covering, inside: foam 25 kg/m3	
Segment dimensions [cm]	distance indicator divided into two parts, each of them 200 cm length	
Net weight [kg]	12	
Image	ri polanik 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Code	LT-S283-T25	
Туре	for triple jump	
Scale	13,5 m – 17,5 m	
Segments	2, linked with Velcro belts installed in segment sides, scale painted on both sides of segment	
Material	white PCV covering, inside: foam 25 kg/m3	
Segment dimensions [cm]	distance indicator divided into two parts, each of them 200 cm length	
Net weight [kg]	12	
Image	polanik 14 15 HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH	

POLANIK Poland, Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



Code	LU-S283-T25-A	LU-S283-T25-B	
Туре	universal (both for long and triple jump)		
Runaway	From left hand side	From right hand side	
Scale	on the one side 4,5 m – 8,5 m on the other side 13,5 m – 17,5 m		
Segments	2, linked with Velcro belts installed in segment sides, scale painted on both sides of segment		
Material	white PCV covering, inside: foam 25 kg/m3		
Segment dimensions [cm]	distance indicator divided into two parts, each of them 200 cm length		
Net weight [kg]	12		
Image	r polanik 5		

tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



III. Assembly

The segments of indicator are linked with Velcro belts installed In segment sides.



IV. Operation and maintenance

The product must be stored in a roofed and dry place.

V. Packing and transport

The segments are packed in foil, one on the other.



VI. Declaration

- 1) No. 2016-08-25
- 2) Issuer's name: POLANIK Sp. z o. o. Issuer's address: Zyczliwa 11, 97-300 Piotrkow Tryb.
- 3) Objects of declaration

No.	Name of goods	Code
1	Foam distance indicator for long jump	LD-S283-T25
2	Foam distance indicator for triple jump	LT-S283-T25
3	Universal foam distance indicator, left	LU-S283-T25-A
4	Universal foam distance indicator, right	LU-S283-T25-B

4) Technical specification described above is In accordance with the factory's internal engineering standards.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed for and in behalf of: POLANIK

2016-08-25 Piotrkow Tryb. (Date and place of issue)

Paweł Ciechanowski Product Manager

6)

(Name, function)

(Signature or equivalent authorized by the issuer)

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.