

TECHNICAL SPECIFICATION/ASSEMBLY INSTRUCTION

Lane marker LM-45 Lane markers set LM-45/10 LM-45/8 LM-45/6 LM-45/4



File: 2017-03-27 PRODUCT SUPPORT Paweł Ciechanowski p.ciechanowski@polanik.com




Thank You for choosing Polanik lane marker.

I. General description and use

Made of white fibreglass, new reinforced profile, square section, height 45 cm, with dark blue digits on four sides, equipped with false start indicators. When ordering LM-45 please specify the lane numbers. The marker is available in ready sets: 10, 8, 6 and 4 pieces. Easy to store.





©2017 Polanik



II Assembly

The lane marker is ready to use.

III. Maintenance

After each use the product should be cleaned from sand and stored in a dry roofed place.

IV. Packing and transport

The product is packed in foil.

POLANIK ul. Życzliwa 11 97-300 Piotrków Trybunalski tel. +48 44 646 44 81 tel. +48 44 648 50 89 fax +48 44 646 43 58 e-mail: info@polanik.com www.polanik.com



V. Declaration

1) No. 2017-03-27

2) Issuer's name: POLANIK

Issuer's address: Życzliwa 11, 97-300 Piotrków Tryb.

3) Objects of declaration

No.	Name	Code
1	Lane marker	LM-45
2	Set of 10 lane markers	LM-45/10
3	Set of 8 lane markers	LM-45/8
4	Set of 6 lane markers	LM-45/6
5	Set of 4 lane markers	LM-45/4

4) The object of declaration described above is in conformity with the requirements of the company production and technology norms.

Additional Information

5) Declaration for:

Buyer/Distributor/User

Signed and in behalf of:

POLANIK

2017-03-27 Piotrków Tryb.

(Date and place of issue)

6) Paweł Ciechanowski

Product Manager

Even the best technical solutions cannot substitute for common sense. The usage of the product must take place under the supervision of sports facility technical staff. The producer shall not be liable for any incidents caused by the improper assembly or its misuse. The producer reserves the right to introduce without warning changes in product constructions and colours.

(Signature or equivalent authorized by the issuer)

(Name, function)